

THANK YOU

for purchasing the Ninja® DualBrew Hot & Iced Coffee Maker



REGISTER YOUR PURCHASE

- registryourninja.com
- 1-877-646-5288
- Scan QR code using mobile device

RECORD THIS INFORMATION

Model Number: _____
Serial Number: _____
Date of Purchase: _____
(Keep receipt)
Store of Purchase: _____

TECHNICAL SPECIFICATIONS

Voltage: 120V~, 60Hz
Power: 1550W
Water Reservoir
Capacity: 70 oz.

TIP You can find the model and serial numbers on the QR code label located on the back of the unit by the power cord.

PLEASE READ CAREFULLY AND KEEP FOR FUTURE REFERENCE.

These instructions are designed to help you get a complete understanding of your new DualBrew Hot & Iced Coffee Maker. If you have any questions, please call our Customer Service line at 1-877-646-5288.

SharkNinja Operating LLC
US: Needham, MA 02494
1-877-646-5288
ninjakitchen.com

Illustrations may differ from actual product. We are constantly striving to improve our products, therefore the specifications contained herein are subject to change without notice.

NINJA is a registered trademark of SharkNinja Operating LLC.

NINJA SMART SCOOP is a trademark of SharkNinja Operating LLC.

This product may be covered by one or more U.S. patents. See sharkninja.com/patents for more information.

© 2025 SharkNinja Operating LLC

CFP150COSeries_IB_MP_Mv8_250314



CFP150CO | Owner's Guide

IMPORTANT SAFETY INSTRUCTIONS

PLEASE READ CAREFULLY BEFORE USE • FOR HOUSEHOLD USE ONLY



Read all instructions before using your Ninja DualBrew Hot & Iced Coffee Maker



Indicates the presence of a hazard that can cause personal injury, death or substantial property damage if the warning included with this symbol is ignored.



Avoid contact with hot surface. Always use hand protection to avoid burns.



For indoor and household use only.

⚠ WARNING

To reduce the risk of injury, fire, electrical shock or property damage, basic safety precautions must always be followed, including the following numbered warnings and subsequent instructions. Do not use appliance for other than intended use.

General Precautions

- 1 To eliminate a choking hazard for young children, discard all packaging materials immediately upon unpacking.
- 2 This appliance can be used by persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.
- 3 To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). As a safety feature, this plug will fit into a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. **DO NOT** force into outlet or try to modify to fit.
- 4 Keep the appliance and its cord out of reach of children. **DO NOT** allow the appliance to be played with or be used by children. Close supervision is necessary when used near children.
- 5 To protect against fire, electric shock, and injury to persons, **DO NOT** immerse cord, plugs, or body of machine in water or other liquid.
- 6 **NEVER** carry the appliance by the power cord or pull it to disconnect from electrical socket; instead grasp the plug and pull to disconnect.
- 7 **DO NOT** operate any appliance with a damaged cord or plug, or after the appliance malfunctions, or has been dropped or damaged in any manner. Contact SharkNinja Operating LLC for service.
- 8 For household and countertop use only. **DO NOT** let the power cord hang over the edge or touch hot surfaces such as the stove.
- 9 **NEVER** use socket below counter.
- 10 To avoid risk of fire, electrical shock, or damage to the brewer, **DO NOT** use brewer in an appliance garage or under a wall cabinet.
- 11 Unplug from outlet when either the appliance or display clock is not in use, and before cleaning.
- 12 Turn off and allow to cool before putting on or taking off parts, and before cleaning the appliance.

READ AND SAVE THESE INSTRUCTIONS

IMPORTANT SAFETY INSTRUCTIONS

PLEASE READ CAREFULLY BEFORE USE • FOR HOUSEHOLD USE ONLY

⚠ WARNING

To reduce the risk of injury, fire, electrical shock or property damage, basic safety precautions must always be followed, including the following numbered warnings and subsequent instructions. Do not use appliance for other than intended use.

Operating Notice

- 1 To disconnect, turn any control to Off then remove plug from wall outlet.
- 2 The use of an accessory not recommended by the manufacturer may create an overflow condition and scalding hazard, or result in fire, electric shock, or personal injury.
- 3 **ALWAYS** use appliance on a clean, dry, level surface.
- 4 **DO NOT** place on or near a hot gas or electric burner or in a heated oven.
- 5 **DO NOT** use this appliance for anything other than its intended use.
- 6 **DO NOT** use outdoors.
- 7 **DO NOT** touch hot surfaces. Use handles or knobs.
- 8 **ALWAYS** place a vessel, carafe or cup beneath the brew basket to receive the brewed coffee.
- 9 **DO NOT** open brew chambers during brew cycle and cleaning cycle. Scalding may occur.
- 10 **DO NOT** remove the vessel, carafe or cup while the appliance is running without the Drip Stop in the closed position. Return the vessel, carafe or cup quickly and open the Drip Stop to continue the brew.
- 11 **DO NOT** fill water reservoir with anything other than water, as other liquids may damage your brewer.
- 12 **DO NOT** overfill the water reservoir. Fill water only to the Full line.
- 13 Keep lid on water reservoir when brewing.
- 14 **DO NOT** run the appliance without water.
- 15 **DO NOT** brew ground coffee without a #4 paper cone filter or permanent filter.
- 16 Exceeding maximum Coffee Measurement Chart capacity may cause overflow. **DO NOT** use fine or espresso ground coffee.

Ninja® Pod Adapter

- 1 **DO NOT** put fingers inside Ninja Pod Adapter. There is one needle that punctures the pod top and one needle that punctures the pod bottom.
- 2 Only use capsules/pods intended for this appliance. If the capsule/pod does not fit, **DO NOT** force it into the appliance.

Carafe

- 1 The carafe is designed for use with this appliance only. **DO NOT** place carafe on or near a hot gas or electrical burner, or in a heated oven.
- 2 **DO NOT** use a cracked or scratched carafe or a carafe that has a loose or weakened handle.
- 3 **DO NOT** place carafe in microwave.
- 4 **DO NOT** drink directly from the carafe. Liquid from the carafe may be very hot.
- 5 **DO NOT** use the carafe to store food when not in use.
- 6 Ensure the carafe is completely empty before starting a cleaning or brewing cycle. Starting a cycle with water, coffee, or tea in the carafe will cause an overflow.
- 7 **DO NOT** clean carafe with abrasive cleaners, steel wool pads, or other abrasive materials.
- 8 **DO NOT** set a hot carafe on a wet or cold surface.
- 9 **DO NOT** expose carafe to extreme temperature changes.

READ AND SAVE THESE INSTRUCTIONS

IMPORTANT SAFETY INSTRUCTIONS

PLEASE READ CAREFULLY BEFORE USE • FOR HOUSEHOLD USE ONLY

Care & Maintenance

- 1 Allow the appliance to cool before removing any parts and before cleaning.
- 2 To prevent illness from bacterial growth in the appliance, follow all cleaning instructions in the Care & Maintenance section of this Owner's Guide.
- 3 Clean the system on a weekly basis.
- 4 If the product is not operating properly, visit ninjakitchen.com or contact SharkNinja Operating LLC for examination, repair, or adjustment.
- 5 Cleaning and user maintenance shall not be made by children.


Cord Statement

- 1 A short power-supply cord is provided to reduce the risks resulting from becoming entangled in or tripping over a longer cord.
- 2 **DO NOT** use extension cords with this product.


READ AND SAVE THESE INSTRUCTIONS

PARTS

- A Coffee Maker (Power cord not shown)
- B 70 oz. Removable Water Reservoir
- C Removable Water Reservoir Lid
- D Drip Stop
- E Ninja Grounds Adapter
- F Adapter Storage
- G Single-Serve Cup Platform
- H Control Panel
- I Brew Basket
- J Ninja Pod Adapter
- K Brew-Through Lid
- L Ninja Glass Carafe
- M Froth Whisk
- N Ninja Smart Scoop™
- O Intelligent Warming Plate
- P De-Clog Tool



USING THE CONTROL PANEL



- 1

Power Button
- 2

Multi-Serve Arrow Buttons
- 3

Brew Styles
- 4

Keep Warm Button
- 5

Drip Stop Indicators
- 6

Intelligent Clean Cycle Button
- 7

Intelligent Clean Cycle Indicator
- 8




Delay Brew Button
- 9

Hour/Minute Button
- 10

Programmable Digital Clock and Ounce Display
- 11

Smart Sensing Mode Indicators

SMART SENSING MODE INDICATORS

MODE INDICATORS	STATE
	Grounds: The Ninja Grounds Adapter is attached and the coffee maker lid is shut; ensure #4 paper filter or permanent filter (sold separately) is installed in the brew basket.
	Pods: The Ninja® Pod Adapter is inserted and the coffee maker lid is shut.
	No State: One of the above criteria has not been met.

SETTING THE CLOCK

- 1

Press the HR/MIN button to set the clock.
- 2

Use the Multi-Serve Arrow Buttons to select the correct hour. Then, press the Hour/Minute button to toggle to minutes.
- 3

Use the arrow buttons again to select the correct minute, and press the Hour/Minute button to set the clock at the displayed time.

NOTE: If you unplug the brewer or in the event of a power loss, you will need to reset the clock the next time the brewer is plugged in.

HIGH-ALTITUDE CALIBRATION BREW

Required for users in high-altitude areas. Not running the high-altitude calibration brew in a high-altitude area will result in excessive steaming during brewing.

Because water boils at a lower temperature at higher altitudes, running a calibration cycle before your first brew allows the brewer to detect the boiling point of water at your location. Running a calibration cycle will help deliver a consistent brew each time.

1

Fill the water reservoir up to, but not exceeding, the Full line.

2

Insert the brew basket, then insert the Ninja Grounds Adapter and close the brewer lid. Place the empty carafe on the base.

3

Press and hold both STYLE and HR/MIN until you hear a confirmation sound.

4

A calibration cycle will begin, and the display will count down until the Altitude calibration is complete. When complete, the brewer will beep and display “End” on the clock and ounce display. Discard the water in the carafe.


NOTE: This calibration is permanently saved and will not be lost if power is lost or brewer is unplugged. Brewer can be recalibrated at any time if the altitude where it is being used changes.


USING THE NINJA POD AND GROUNDS ADAPTER

The Ninja DualBrew Coffee Maker comes with a unique Ninja Grounds Adapter already installed and an additional Ninja Pod Adapter for pods.

INSTALLING THE NINJA POD ADAPTER


First, ensure the Ninja Grounds Adapter is removed from the coffee maker. Place the Ninja Pod Adapter in the brew basket, ensure the handle is aligned with the brew basket handle, and press down on the Ninja Pod Adapter firmly.






INSTALLING THE NINJA GROUNDS ADAPTER

Place the #4 paper cone filter or permanent filter (sold separately) in the brew basket, then place the Ninja Grounds Adapter over the brew basket and filter and ensure the handle is aligned with the brew basket handle.






3 | ninjakitchen.com

ninjakitchen.com | 4


PRIMING YOUR NINJA® DUALBREW HOT & ICED COFFEE MAKER

- 1 Clean all accessories before the first brew.
- 2 Plug the brewer in and turn it on by pressing the power button.
- 3 Lift the water reservoir off of its base. Remove the reservoir lid. Add water up to, but not exceeding the full line. Return the water reservoir to the brewer. **DO NOT** fill the water reservoir with anything other than water, as other liquids may damage your brewer.




NOTE: We recommend using cool or room temperature water in the reservoir. **DO NOT** fill with hot or boiling water.

- 4 Ensure the Ninja Grounds Adapter is placed over the brew basket and is aligned with the brew basket handle and close the lid.



NOTE: DO NOT use coffee for the priming brew.

- 5 Center the carafe with the brew-through lid installed below the brew basket. With everything securely in place and the coffee maker powered on, use the Multi-Serve Arrow Buttons to select the Full Carafe size. Ensure the Drip Stop Indicator is set to Open.



- 6 To start, press the STYLE button until CLASSIC is selected. Then, press BREW. When the cycle is complete, discard the water and rinse the carafe. You are now ready to use your Ninja DualBrew Hot & Iced Coffee Maker.

USING THE NINJA® DUALBREW HOT & ICED COFFEE MAKER

BREW VOLUMES AND MEASUREMENTS

Each size and brew style produces a different amount of coffee to optimize strength and flavor. Rich brew will produce slightly less than Classic.

NOTE: The coffee grounds will absorb some of the water that is brewed; this will cause slight variability in brew volumes.

NOTE: Brew volumes may be slightly larger or smaller than what is stated due to various factors in the system.

NOTE: Over Ice and Cold Brew are designed to brew coffee directly over ice, accounting for ice melt by delivering a reduced amount of coffee. The total volume listed in the Approximate Brew Volumes table reflects the overall drink volume, taking into account the ice in your cup.

APPROXIMATE BREW VOLUMES

GROUNDS				
Size	Classic	Rich	Over Ice (filled with ice)	Cold Brew (filled with ice)
XS Cup	6 oz.	5 oz.	6 oz.	6 oz.
Sm Cup	8 oz.	7 oz.	8 oz.	8 oz.
Cup	10 oz.	8 oz.	10 oz.	10 oz.
XL Cup	12 oz.	10 oz.	12 oz.	12 oz.
Travel	14 oz.	12 oz.	14 oz.	14 oz.
XL Travel	18 oz.	16 oz.	18 oz.	18 oz.
1/4 Carafe	28 oz.	26 oz.	28 oz.	28 oz.
1/2 Carafe	40 oz.	37 oz.	40 oz.	40 oz.
3/4 Carafe	52 oz.	47 oz.	52 oz.	52 oz.
Full Carafe	65 oz.	57 oz.	65 oz.	65 oz.

NOTE: There may be some water left in the reservoir after your brew. This is normal to keep the brewer from running out of water.

PODS				
Size	Classic	Rich	Over Ice (filled with ice)	Cold Brew (filled with ice)
6 oz.	6 oz.	6 oz.	6 oz.	6 oz.
8 oz.	8 oz.	8 oz.	8 oz.	8 oz.
10 oz.	10 oz.	9 oz.	10 oz.	10 oz.
12 oz.	12 oz.	11 oz.	12 oz.	12 oz.

USING THE NINJA® DUALBREW HOT & ICED COFFEE MAKER CONT.

MEASURING YOUR COFFEE GROUNDS

For best results, use the measurements on the Ninja Smart Scoop™ or in the chart to determine how much ground coffee to use for each brew size. **Always use level scoops when measuring ground coffee.** The amount of ground coffee for each size will remain the same for any brew type you select. For example, if you select **10 oz.** and **Classic**, you will use the same amount of coffee grounds as if you were to select **10 oz.** and **Rich**, **10 oz.** and **Over Ice** or **10 oz.** and **Cold Brew**.

NOTE: Adjust to your preferred taste. More scoops result in stronger coffee but slightly lower volumes, fewer scoops result in weaker coffee and slightly higher volumes.


NOTE: Use fewer scoops of decaffeinated coffee to prevent overflow. Use a medium-sized grind if grinding whole beans. Grinding beans too finely may cause the brew basket to overflow.

COFFEE MEASUREMENT CHART		
Serving Size	Ninja Smart Scoop	Tablespoons
XS Cup	2-3 small scoops	2-3 tablespoons
Sm Cup		
Cup		
XL Cup		
Travel	3-5 small scoops	3-5 tablespoons
XL Travel		
1/4 Carafe	3-5 big scoops	6-10 tablespoons
1/2 Carafe		
3/4 Carafe	4-7 big scoops	8-14 tablespoons
Full Carafe		
Specialty 4 oz.	2 big scoops	4 tablespoons



BREWING GROUND COFFEE

USING THE BREW BASKET

- 1 To prepare for brewing, open the coffee maker lid and ensure the brew basket is installed.




- 2 Place a #4 paper cone filter or permanent (sold separately) filter in the brew basket.




NOTE: Fold the paper filter along the seams, open the top fully, and firmly press it into the brew basket, making sure it is fully installed.

NOTE: DO NOT place ground coffee directly in the brew basket without a filter.

- 3 Use the Ninja Smart Scoop™ and follow the measurements on the scoop or on the Coffee Measurement Chart to fill the filter.



- 4 Place the Ninja Grounds Adapter over the brew basket so it is fully seated and is aligned with the brew basket handle.




- 5 Close the coffee maker lid.

USING THE NINJA® DUALBREW HOT & ICED COFFEE MAKER CONT.


BREWING PODS

USING THE NINJA POD ADAPTER

- 1 To prepare for brewing, open the lid, and ensure the brew basket is installed.




- 2 Place the Ninja Pod Adapter over the brew basket and ensure it is aligned with the brew basket handle.



NOTE: Make sure the brew basket is clean and free of any filters before inserting the Ninja® Pod Adapter.


- 3 Place a new pod in the holder.



IMPORTANT: Ensure the pod is not damaged, torn, or expired. **DO NOT** remove the top of the pod.

HIGH-ALTITUDE BREWING: Before closing the Ninja Pod Adapter handle to start a brew, using your fingers, carefully apply pressure on the pod until the bottom of the pod is punctured by the exit needle, and the pod is fully seated in the pod holder. This releases excessive gas built up from the high altitude and prevents pod blowout.

- 4 Press the coffee maker lid down firmly to pierce the pod, and ensure that it is completely closed. There will be an audible click and some resistance when closing the handle as the needles puncture the pod.



NOTE: Reusable K-Cup Coffee Filters are not compatible with the Ninja Pod Adapter. If using ground coffee, use the Ninja Grounds Adapter with a paper or permanent filter to brew a single-serve size.

BREWING STYLES



CLASSIC

Smooth, well-balanced flavor.



OVER ICE

Specially designed to brew hot over ice for freshly brewed iced coffee that is not watered down.
Always fill your vessel to the top with ice cubes before brewing Over Ice.



SPECIALTY

A super-rich concentrate that allows you to make coffee-based drinks like cappuccinos and lattes.
Will only brew 4 oz.



RICH

More intense flavor that stands up to milk, cream, or flavoring.



COLD BREW

Brewed at a lower temperature over ice for an ultra-smooth, deep, and sweet flavor.
Always fill your vessel to the top with ice cubes before brewing Cold Brew.

NOTE: Over Ice and Cold Brew are designed to produce a concentrated brew into a vessel filled with ice. It is normal for some ice in the vessel to melt as the coffee is brewed, and this will produce a cold beverage with the ideal strength and flavor.

NOTE: We recommend running Cold Brew before any hot brews for the best output. If coming from a hot brew, Cold Brew may take a minute or two to start.

NOTE: Rich brew will use slightly less water and yield slightly less brewed coffee than Classic brew. See Approximate Brew Volumes chart for additional information.

HOW TO BREW

- 1 Use the Multi-Serve arrow buttons to select the brew size. Place the empty vessel or carafe under the brew basket.

NOTE: If making a single cup, lower the Single-Serve Cup Platform and set your vessel in the center of it to help prevent splashing. This applies to all brew styles.

- 2 Press the STYLE button until your desired drink is illuminated. Then, press BREW. To cancel the brew at any time, press the selected brew style again or press the Power button.

NOTE: The brewing cycle will begin, then pause for a short period before resuming. This process is used to evenly saturate the coffee grounds. This applies to all brew styles.


- 3 The brewer will beep to signal the brew has started. The progress bar between the arrows will illuminate to indicate the progress of the brew. When the brew is finished, the machine will beep again and End will appear on the display.


NOTE: During a pod brew, if the machine displays "CHEC POD", refer to the troubleshooting guide.

USING THE NINJA® DUALBREW HOT & ICED COFFEE MAKER CONT.

INTELLIGENT WARMING PLATE

The Intelligent Warming Plate will automatically turn on during Classic or Rich brews when a 1/4, 1/2, 3/4, or full carafe size is selected. The Intelligent Warming Plate is set to a specific temperature to avoid burning the coffee over time. To turn the warming plate on at any time, use the Multi-Serve Arrow buttons to select one of the carafe sizes and press the WARM button.



IMPORTANT: The  light on the base of the brewer will illuminate only when the warming plate is hot and will remain illuminated until the plate has cooled down.

TIME & TEMPERATURE ADJUSTMENT

You can adjust how long the Intelligent Warming Plate remains on (up to 4 hours) and/or set the temperature to High, Medium, or Low.


By default, the Intelligent Warming Plate is set to remain on for 2 hours at Medium temperature. To change the time and/or temperature setting of your warming plate, follow these instructions:

- 1 Press and hold WARM until the clock begins to flash the current warming time.
- 2 Use the Multi-Serve Arrow buttons to increase the time in 15 minute increments up to 4 hours or decrease the time to 0 hours. Press WARM button to set the new time.
- 3 Next, the clock will display the current warming plate temperature. To keep the same temperature, press WARM. To change the temperature, use the Multi-Serve Arrow Buttons and press WARM for the temperature to lock in. The unit will beep signifying that the time and temperature has been set.

NOTE: If you set the warming time to 0 hours, Keep Warm will not automatically activate during or after a carafe brew cycle, but you can still turn it on manually by pressing the WARM button when a carafe size is selected.

NOTE: The time adjustment setting will be saved and will not reset when the brewer is unplugged or loses power.

SETTING THE DELAY BREW



- 1 Fill the water reservoir to desired size and add ground coffee to the filter or insert a pod in the Ninja Pod Adapter, close the coffee maker lid, and place the appropriate-size vessel under the brew basket.
- 2 Press DELAY. DELAY will illuminate and the clock will begin to flash "12:00" or the last time that was set.
- 3 While the clock is flashing, use the Multi-Serve Arrow buttons to adjust the hour. The AM or PM indicator will illuminate on the clock display as you are setting the desired time. Press DELAY button again and use the Multi-Serve Arrow buttons to adjust the minute. Press DELAY to lock in the time.

- 4 Once the desired time has been set, use the Multi-Serve Arrows to select the size that you would like to brew.

- 5 Press the STYLE button until your desired drink is illuminated.

- 6 Once the time, brew size, and brew style have been set, press the DELAY button to activate. When activated, the brewer will beep and the DELAY LED and your selected options will remain illuminated. To view your set delay brew time, press and hold the DELAY button. To cancel, press DELAY again or power off the coffee maker.

NOTE: The brewer must remain on for the Delay Brew function to work. **DO NOT** power off or unplug after setting Delay Brew. If the brewer is turned off or unplugged, delay brew will need to be reset.

NOTE: The clock will remain on even if the brewer is turned off. Ensure the brewer is powered on to set Delay Brew.


USING THE NINJA® DUALBREW HOT & ICED COFFEE MAKER CONT.

USING THE DRIP STOP

The drip stop is used to close off the brew basket to prevent any coffee from dispensing. You will need to manually open and close the drip stop by moving the lever to your desired position. It can be closed and reopened at any point before, during, or after a brew.

If you forget to open the Drip Stop, the brewer will pause the brew, and after 30 seconds it will give you a friendly audible reminder. After 5 minutes, the brew will be canceled.

NOTE: If the Drip Stop is closed before you begin a brew, the brewer will notify you with 3 beeps and the Drip Stop indicator will illuminate. Move the Drip Stop to the open position and press the STYLE button until your desired drink is illuminated. Then, press BREW.



CLOSING THE DRIP STOP AFTER A BREW


When the brew cycle is complete, set the Drip Stop to the closed position to stop dripping from the brew basket. While the Drip Stop is closed, the Drip Stop indicator will illuminate.

NOTE: Remember to open the Drip Stop when you are ready to brew again. If you forget, your brewer will give you a friendly audible reminder.


ADAPTER STORAGE

The adapter storage can be installed on the unit for onboard storage of either the Ninja Pod Adapter or Ninja Grounds Adapter. The Adapter Storage can be installed and removed at any time. To install the Adapter Storage:

- 1 Securely fit the Adapter Storage pins into the holes on the back of the coffee maker.



- 2 Store either the Ninja Pod Adapter or Ninja Grounds Adapter in the adapter storage.



CLEANING & MAINTENANCE

CLEANING AFTER A BREW

- 1 After the coffee maker has cooled, remove the Ninja Grounds Adapter and brew basket. If using pods, remove the Ninja Pod Adapter and brew basket. Wash the used parts thoroughly with warm soapy water, or place in dishwasher.
- 2 Wash the carafe and brew-through lid with warm soapy water, or place in dishwasher. Use a bottle brush or cloth to wash the inside of the carafe. **DO NOT** use a wire brush.

NOTE: For best results, we recommend rinsing the reservoir after brewing and refilling with fresh water for the next brew.

CLEANING THE WATER RESERVOIR

Empty the reservoir and hand-wash or place in dishwasher. For a better clean, we recommend placing it in the bottom rack of the dishwasher standing upright with the opening facing downward. We recommend doing this weekly.

CLEANING THE CARAFE

We recommend cleaning your carafe after each use with warm, soapy water.

To clean the carafe more thoroughly, we recommend using a soft foam brush.

DO NOT use a wire brush to clean the carafe.

DISHWASHER-SAFE PARTS:

Reservoir, Carafe, Ninja Grounds Adapter, Ninja Pod Adapter, Adapter Storage, Brew Basket, Scoop, and Frother


CLEANING THE BREW BASKET, NINJA POD AND GROUNDS ADAPTER

If brewing grounds, allow the coffee maker to cool. First remove the Ninja Grounds Adapter by pinching the right tab of the handle and either lift straight up if on top of the brew basket, or pull out of the coffee maker lid. If brewing pods, first remove and discard the used pod, then remove the Ninja Pod Adapter by pinching the right tab of the handle and lifting straight up. Wash the Ninja Pod Adapter, Ninja Grounds Adapter, and Brew Basket with warm soapy water, or place in dishwasher

INTEGRATED FROTHER

The Integrated Frother does not heat milk.

- 1 Add milk to your cup until it is about 1/3 full.
 - For cold froth, continue to Step 2.
 - For hot froth, microwave for 45–60 seconds.



- 2 Swing the arm of the frother toward the front of the coffee maker. Install the frother whisk by twisting it to the right.
- 3 Hold the cup under the frother and submerge the whisk just below the surface of the milk. Press and hold the button on top of the frother and froth for 30–45 seconds.

CLEANING & MAINTENANCE CONT.

CLEANING & DESCALING YOUR BREW SYSTEM

The clean cycle is used for descaling the brewer when calcium scale buildup is affecting the performance of the brewer and/or the flavor of your coffee. The Intelligent Clean Cycle Indicator will automatically illuminate orange when a cleaning cycle is recommended for your brewer.

To clean and descale your Ninja DualBrew Coffee Maker:

- 1 Place the empty carafe beneath the brew basket.
- 2 Fill the water reservoir with 16 oz. of white vinegar, then fill the rest of the reservoir with water up to, but not exceeding, the Full line.

OR

Use a descaling solution specifically formulated for coffee maker cleaning and follow the directions on the package.

NOTE: The clean cycle takes approximately 75 minutes.


IMPORTANT: Only use white vinegar.

NOTE: If the display ever reads “CLOG,” it indicates heavy or residual coffee ground buildup. Refer to the “CLOG” section in the troubleshooting guide.

NOTE: Running a water-only clean cycle will not descale the brewer properly.

- 3 Once the water reservoir is filled with your cleaning solution and water mixture, press the CLEAN button. The display will highlight the full carafe and 60 oz. which is the amount that will be brewed. Then press the CLEAN button again to confirm and begin the cleaning cycle.

- 3 Hold the cup under the frother and submerge the whisk just below the surface of the milk. Press and hold the button on top of the frother and froth for 30–45 seconds.



- 4 Remove the frother whisk by twisting it to the left. Keep your cup below the whisk while you carry it to your sink or dishwasher for easy cleaning.

WARNING: To avoid contact with steam and hot surfaces, **DO NOT** reach across top of coffee maker to froth.

NOTE: To cancel the clean cycle, press the Power button or CLEAN button once. The brewer will beep and stop brewing through the cleaning mixture. Continue to follow the instructions starting at Step 6.

IMPORTANT: If you cancel the clean cycle, your brewer will not be properly descaled.

- 4 The clock will display and count down the remaining clean cycle time, which takes approximately 75 minutes to complete. Your brewer will deliver a small amount of cleaning solution to distribute through the system. It will then pause, deliver additional cleaning solution, and repeat this process for 75 minutes. The extended pauses allow for maximum cleaning and descaling.

IMPORTANT: DO NOT remove the carafe at any time during the clean cycle.

- 5 Upon completion, the brewer will beep, the clock will display End, and the Intelligent Clean Cycle Indicator will turn off.
- 6 Empty the contents of the carafe and place it back under the brew basket. Clean the water reservoir with warm, soapy water to remove any cleaning solution that could affect the flavor of your coffee.
- 7 Fill the reservoir with fresh water up to, but not exceeding, the Full line.
- 8 Flush the system by running a full carafe classic water-only brew. After the cycle is complete, discard the water and thoroughly clean the carafe and brew basket.


NOTE: Hard water will cause scale buildup faster than soft water and the brewer will indicate it needs cleaning more often.

TROUBLESHOOTING GUIDE

CLOCK DISPLAY MESSAGES:

CLOG

- If this appears on your control panel, this means either there are grounds built up inside the top or bottom needles or calcium scale buildup in the brew system.
 - 1 Ensure that the top and bottom of the pod you are using is punctured.
 - a. If the pod was punctured, go to step 2
 - b. If the pod wasn't punctured, place a new pod in the Ninja Pod Adapter and close the lid. Open the lid to see if there are any grounds in the top needle located on the lid.
 - c. If the new pod still did not puncture, please contact Customer Service for assistance.
 - 2 Your unit came with a De-Clog Tool. Remove the Ninja Pod Adapter and install the Ninja Grounds Adapter, then insert the De-Clog Tool with the open side facing up. After De-Clog tool is installed, fill it with water.
 - 3 Close the lid of the coffee maker until it makes contact with the De-Clog Tool, then pump the lid down until you feel slight resistance 10 times. **Do not close the lid all the way.**
 - 4 After removing the De-Clog Tool, restart the system by powering off the coffee maker and turning it back on. Then run a water-only 12 oz. brew to clear the system. If the brew is not successful, power off the coffee maker and repeat these steps. If the problem persists, please contact Customer Service for assistance.
- Reference the help center for additional information on how to use the De-Clog Tool.
- 5 If the display no longer says “CLOG”, you can now go back to brewing.
 - a. If there are no grounds present or the display still shows “CLOG”, go to Step 6.
- 6 If the Intelligent Clean Cycle Button is illuminated, see ‘Cleaning & Descaling Your Brewing System’ for instructions.



CHEC POD

- During a pod brew, the machine may stop and flash this message. This means that your machine may have loose grounds in it.
 - 1 To resolve this, remove the pod and take the Ninja Pod Adapter out.
 - 2 Wash Ninja Pod Adapter thoroughly with water to remove any leftover grounds.
 - 3 Remove brew basket. Be sure to clean out any grounds from brew basket, then insert back into machine.
 - 4 Place Ninja Pod Adapter back in brew basket. Run a water-only brew by brewing a 12 oz. classic drink. Once the brew is complete, you are now ready to brew another drink.



For best results, use bottled water and first-party pods.

End

- The brew cycle is complete.

Add Wtr

- The system does not have enough water in the reservoir to complete your brew. Add fresh water to the reservoir and then press the brew style button that was being brewed to resume the brew.
- If the reservoir is filled with water, remove and reseal the reservoir by pressing firmly down on the reservoir. If the issue persists, contact Customer Service at 1-877-646-5288.

STOP

- A brew cycle was cancelled.

ERROR MESSAGES:

Er

- If the clock displays “Er” and then a number (ex. “Er 03”), contact Customer Service at 1-877-646-5288.

There's sediment in my coffee.

- If using a permanent filter (sold separately), this may be due to using finely ground coffee.
 - To reduce the amount of sediment in the brewed coffee, use a slightly coarser grind or use a paper filter.
- NOTE: DO NOT** use a paper filter in conjunction with a permanent filter, as water and/or coffee can back up and clog the filter basket.

TROUBLESHOOTING GUIDE CONT.

Over Ice Brew is not cold.

- Ensure your cup, travel mug, or carafe is filled all the way to the top with ice cubes before brewing. Brewer will brew at elevated temperatures to lock in the best flavor, then the ice will cool the brewed coffee to the perfect temperature.

Cold Brew is not cold.

- Ensure your cup, travel mug, or carafe is filled all the way to the top with ice cubes before brewing. Brewer will brew at elevated temperatures to lock in the best flavor, then the ice will cool the brewed coffee to the perfect temperature.

Coffee is too weak.

- For stronger coffee, use the Rich brew setting. For an even bolder flavor, you can add more coffee grounds to the filter.

Coffee is too strong.

- For milder coffee, use the Classic brew setting. For an even milder flavor, use fewer coffee grounds in the filter.

My brew took longer than normal to complete.

- This may be due to the machine lowering the pressure to help prevent a clog. For best results, use bottled water and first-party pods.

Brew cycle is too slow.

- The brew time will vary based on size and brew style. Full carafe sizes and Rich brews will take longer to brew than single-serve and classic brews. The progress bar on the control panel will indicate brew progress.

Cup or travel mug overflowed.

- Refer to the Approximate Brew Volumes chart on page 6.

Brew basket overflowed.

- The bottom of the brew basket may be clogged. This can happen with finely ground coffee or too many coffee grounds in the filter. Medium-grind coffee is recommended.
- Using a permanent filter in conjunction with a paper filter can cause grounds to clog and water to back up in the brew basket. Use only the permanent filter or a paper filter.
- Decaf coffee grounds absorb water differently, so use fewer scoops when using decaf.

There is water left in the reservoir.

- When the reservoir is filled to a specific size and then that size is brewed, there will be some water left in the reservoir. This is normal to ensure the reservoir does not run dry for the best performance of the pump and brew system.

Brewer is leaking.

- After removing the water reservoir, there may be a small amount of water in the reservoir valve. This can be easily removed with a dry cloth.
- If the leak is coming from above the brew basket, refer to “Brew basket overflowed” above.
- If the leaking is coming from below the brew basket, close the drip stop. Refer to page 13 for more information.
- If the leak is coming from the bottom of the brewer, call Customer Service at 1-877-646-5288.

Intelligent Clean Cycle Indicator is illuminating orange.

- Run a clean cycle. If you have recently completed a clean cycle, you may need to run another cycle to remove additional mineral buildup that occurs naturally over time and is common in hard-water areas. Make sure you are using vinegar or a descaling solution and follow the cleaning instructions on page 15.

Brewer is not detecting the Ninja® Pod Adapter.

- Ensure the adapter is fully seated in place over the brew basket with the coffee maker lid closed. Refer to page 9 for more information.

Coffee is splattering.

- Some splatter is normal. Use the cup tray when possible to reduce the distance between the cup and the coffee outlet.
- Ensure the Ninja Pod Adapter is installed over the brew basket when brewing pods.

Water reservoir is unstable.

- Ensure the water reservoir is properly installed on the hook on the side of the brewer and pressed down firmly into the water reservoir base.

REPLACEMENT PARTS

To order additional parts and accessories, visit ninjaaccessories.com or contact Customer Service at 1-877-646-5288.

PRODUCT REGISTRATION

Please visit registeryourninja.com or call 1-877-646-5288 to register your new Ninja® product within ten (10) days of purchase. You will be asked to provide the store name, date of purchase, and model number along with your name and address.

The registration will enable us to contact you in the unlikely event of a product safety notification. By registering, you acknowledge you have read and understood the instructions for use and warnings set forth in the accompanying instructions.

NJA_1_YR_IB_LMTD_WRNTY_US_ENG

This warranty gives you specific legal rights, and you also may have other rights that vary from state to state. Some states do not permit the exclusion or limitation of incidental or consequential damages, so the above may not apply to you.

[illegible]

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.